

# How to prescribe

**phexxi™**  
(lactic acid, citric acid, and potassium bitartrate) Vaginal Gel  
1.8%, 1%, 0.4%



PATIENT: \_\_\_\_\_ DATE: \_\_\_\_\_

## Phexxi™ vaginal gel (5 g per applicator)

**Dispense:** 1 box of 12 applicators (60 g)

**Instructions:** Administer 1 applicator intravaginally immediately before or up to 1 hour before EACH act of vaginal intercourse as needed.

**NDC: 69751-100-12**

**REFILL: 11**

## IMPORTANT SAFETY INFORMATION

### WARNINGS AND PRECAUTIONS

Few cases (0.36%) of adverse reactions of cystitis, pyelonephritis and other upper urinary tract infection (UTI) have been reported in Phexxi™ clinical studies. Of these, one case of pyelonephritis was considered serious and required hospitalization. Avoid use of Phexxi™ in females of reproductive potential with history of recurrent urinary tract infection or urinary tract abnormalities.

### ADVERSE REACTIONS

Most common adverse reactions were vulvovaginal burning sensation, vulvovaginal pruritus, vulvovaginal mycotic infection, urinary tract infection, vulvovaginal discomfort, bacterial vaginosis, vaginal discharge, genital discomfort, dysuria, and vulvovaginal pain.

**Patients should be counseled on the following:**

- **To contact and consult with their healthcare provider for severe or prolonged genital irritation or experiencing urinary tract symptoms.**

- **To discontinue Phexxi™ if they develop a local hypersensitivity reaction.**
- **That Phexxi™ does not protect against HIV infection or other sexually transmitted infections.**

**To report SUSPECTED ADVERSE REACTIONS, contact Evofem at toll-free phone 1-833-EVFMBIO or you may contact FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

### INDICATIONS AND USAGE

Phexxi™ is indicated for the prevention of pregnancy in females of reproductive potential for use as an on-demand method of contraception.

### LIMITATIONS OF USE

Phexxi™ is not effective for the prevention of pregnancy when administered after intercourse.

**Please see full [Prescribing Information](#) for Phexxi™.**